



Day 1
 Tuesday, August 20, 2024
 Course # 2404660

7:00 am – 7:45 am (45-minute breakfast)		Breakfast with Exhibitors/Expo Opening			Exhibit Hall		
Opening will have the following: Opening Prayer National Anthem Pledge of Allegiance Welcome from Executive Director							
7:45 am – 8:45 am		BREAKOUT SESSIONS by TRACK 1.0 Hrs					
TRACK	SESSION TITLE	Instructor/Session Leader	DW	DS	WW		
DW/DS	Smart Hydrants: Technology to Improve Water Quality	Barry Nichols, Clow Valve	1.0	1.0	0.0		
WW	GIS Mapping Your System to Improve Treatment	Brandon Decker, MRWA GIS Mapping Specialist	0.0	0.0	1.0		
8:45 am – 9:45 am		BREAKOUT SESSIONS by TRACK 1.0 Hrs					
DW/DS	How-to: Proper Flushing of Your water System	Loyd Rawlings – Technical Training Mgr, USA Bluebook	1.0	1.0	0.0		
WW	Biosolids Management and a PFOS Update	Scott Wienands - Nutri-Ject	0.0	0.0	1.0		
9:45 am – 10:30 am (45-minute break)		Break with Exhibitors					
10:30 am – 11:30 am		BREAKOUT SESSIONS by TRACK 1.0 Hrs					
DW/DS	Well Maintenance and Drawdowns	Steven Fuller - Flynn Drilling	1.0	1.0	0.0		
WW	Lateral Connections Rehab	Ryan Poertner – Ace Pipe	0.0	0.0	1.0		
11:30 am – 12:30 pm		BREAKOUT SESSIONS by TRACK 1.0 Hrs					
DW/DS	Automated Control Valves 101	Jake Franklin - Mc Clain and Associates	1.0	1.0	0.0		
WW	What to Know: Upgrading Treatment Works/Engineering	Cindy LePage - MoDNR	0.0	0.0	1.0		
12:30 pm – 1:30 pm (60-minute lunch)		LUNCH with Exhibitors & MRWA KUBOTA RODEO					
1:30 pm – 2:30 pm		BREAKOUT SESSIONS by TRACK 1.0 Hrs					
DW/DS	Pressure Monitoring ,Automated Chlorine Analysis	JP Risenhoover - eLynx Water Solutions	1.0	1.0	0.0		
WW	MoDNR Notifications: Non-Compliance & Enforcement	Joe Clayton - MoDNR	0.0	0.0	1.0		
2:30 pm – 3:15 pm (45-minute break)		Break with Exhibitors					
3:15 pm – 4:15 pm		BREAKOUT SESSIONS by TRACK 1.0 Hrs					
DW/DS	Generator Maintenance and Operation	Mike Maze - EVAPAR	1.0	1.0	0.0		
WW	Improving Wastewater Operations through Developing and Utilizing Records	Melody Molder – MRWA TMF Specialist	0.0	0.0	1.0		
Day 1 Re-Cert Hours			6.0	6.0	6.0		